




Conformiteitsverklaring
Spotlux XL

Conformiteitsverklaring

In de deze conformiteitsverklaring staan artikelnummers van de fabrikant benoemd, Hertek hanteert echter andere artikelnummers. De conformiteitsverklaring is van toepassing op de onderstaande productnummers van Hertek.

Leverancier	MULTILED-SPOT2	C.LEDLUX-SPOT2
Hertek	NRD351-2	NRC351-2
	NRD352-2	NRC352-2
	NRD751-2	NRC354-2
	NRD752-2	NRC355-2
	NRD351-3	NRC751-2
	NRD352-3	NRC752-2
	NRD751-3	NRC754-2
	NRD752-3	NRC755-2



EU DECLARATION of CONFORMITY
Ref. No.: 182G-En-2016

We: SEC, s.r.o.
Jakuba Haška 11,
949 01 NITRA, Slovakia

declare under our sole responsibility that

The product:
Maintained / non-maintained emergency luminaire for escape route / anti-panic area lighting
(ceiling – surface mounted / recessed)

Type:
MULTILED-SPOT2-A (B) – P – AT (DALI, ATXL) .1h (.3h)
MULTILED-SPOT2-A (B) – V – AT (DALI, ATXL) .1h (.3h)
MULTILED-SPOT2-HCA – P – AT (ATXL) .1h
MULTILED-SPOT2-HCB – P – AT (ATXL) .1h

Version: A – rectangular optics - for escape routes lighting, B – square optics - for anti-panic area,
P – surface mounted, V – recessed, AT – auto test, ATXL – central test, HC – for high ceiling
(2xLED); DALI – digital addressable lighting interface

Essential technical data: 230 V; 50 Hz; 1x power LED: 5,5W / 5,7 VA (M); 1,9 W / 4,0 VA (NM);
2x LED (HC): 7,1 W / 7,3 VA (M); 2,8 W / 4,3 VA (NM); class I, IP20; duration 1 hour / 3 hours


to which this declaration relates is in **conformity with** the following standards:


<i>Low Voltage Directive:</i>	EN 60598-2-22: 2014; EN 60598-2-2: 2012 EN 60598-1: 2015; EN 61347-1: 2015 EN 61347-2-13: 2014; EN 61347-2-7: 2012; EN 62471: 2008
<i>EMC Directive:</i>	EN 55015: 2013 +A1; EN 61547: 2009
<i>Performance requirements:</i>	EN 50172: 2004; EN 62034: 2012; EN 62384: 2006

The provisions of European Directives for CE marking:

- 2014/35/EU including amendments – Low Voltage Directive
- 2014/30/EU including amendments – Electromagnetic Compatibility Directive
- 2011/65/EU including amendments – RoHS2 Directive

<i>Manufacturer representative:</i>	Ing. Vladislav Kořenek	SEC spol. s r. o. – prevádzka – Ul. Jakuba Haška 949 01 NITRA -1- KRS
<i>Position:</i>	test engineer	
<i>Place of issue:</i>	SEC, J. Haška 11, 949 01 Nitra	
<i>Date of issue:</i>	25.07.2018	<i>Signature and stamp:</i>





EU DECLARATION of CONFORMITY


Ref. No. : 182F-En-2016

We: SEC, s.r.o.
Jakuba Haška 11,
949 01 NITRA, Slovakia

declare under our sole responsibility that

The product:
Centrally supplied emergency luminaire for escape route / anti-panic area lighting
(ceiling – surface mounted / recessed)

Type:
C.LEDLUX-SPOT2-(HC)A (B) – P (V) – 24 V AC/DC
C.LEDLUX-SPOT2-(HC)A (B) – P (V) – 230 V AC/DC
C.LEDLUX-SPOT2-(HC)A (B) – P (V)-ATXPR / 230 V AC/DC



Version: A – for escape routes lighting; B – for anti-panic area; P – surface mounted;
V – recessed; HC – high ceiling application; ATXPR – addressable

Essential technical data: 24 V /230 V AC/DC; 2x LED 3W; class I; IP20

to which this declaration relates is in **conformity with** the following standards:

Low Voltage Directive: EN 60598-2-22: 2014; EN 60598-2-2: 2012
EN 60598-1: 2015; EN 61347-1: 2015
EN 61347-2-13: 2014; EN 62471: 2008

EMC Directive: EN 55015: 2013 +A1; EN 61547: 2009

Performance requirements: EN 50172: 2004; EN 62034: 2012; EN 62384: 2006
including amendments


The provisions of European Directives for CE marking:

- 2014/35/EU including amendments – Low Voltage Directive
- 2014/30/EU including amendments – Electromagnetic Compatibility Directive
- 2011/65/EU including amendments – RoHS2 Directive


Manufacturer representative: Ing. Vladislav Kořenek
Position: test engineer
Place of issue: SEC, J. Haška 11, 949 01 Nitra

Date of issue: 24.07.2018

Signature and stamp:



SEC spol. s r. o.
- prevádzka -
Ul. Jakuba Haška
949 01 NITRA
- 1 - KRS





Hertek
Copernicusstraat 8
6003 DE Weert
T +31 (0)495 58 41 11
E info@hertek.nl
I www.hertek.nl

NDC022.03

Altijd een veilig idee.